

MISAL SURPLUS EQUIPMENT: IRRIGATION/PUMPS

NAME	SPECIFICATION/CONFIGURATION	MISAL REFERENCE
<p><u>1/ SS VESSEL/TANK</u> Qty 1x Second-hand: near new condition (MSL 132)</p>	<p>SS Vessel/Tank; Approx. 450L Volume; Approx. Dimensions: Diameter 750mm, Height 1010mm; Flanged Connection with o/side level indicator, Gate Valves, Flotec Float Switch.</p> <p>Suitable for food, wine and similar industries application where a high degree of cleanliness is required.</p> <p>Note: this item has been used with MISAL Item MSL 133 (Multistage Pump).</p>	<p>Photographs: MSL 132 & MSL 132.2</p> <p>Ref: MSL 132</p>
<p><u>2/ MULTISTAGE VERTICAL PUMP & ELECTRICAL MOTOR ASSEMBLY</u> Qty 1x Near new condition (MSL 133)</p>	<p>Multistage vertical pump Approx. 680mm long; Diameter 170 mm; Directly Flange coupled to 3 Phase Western Electrical Motor Approx. dimensions: 470mm Long; Diameter 220mm, 415V, 50Hz, 4kW, 7.7A, Exdl/iiB T; IP54; Model DRN8.120, Product No. 9138. Inlet 2", outlet 2"; Second hand – near new condition.</p> <p>Note: this item has been used with MISAL SS TANK 450 Litres - Item MSL 132A.</p>	<p>Photographs: MSL 132.1 & MSL 132.2</p> <p>Ref: MSL 132</p>
<p><u>3/ MEZ 3 PHASE 30HP ELECTRICAL MOTOR</u> Qty 1x Near new condition (MSL 144)</p>	<p>MEZ Electrical Motor; 3 Phase; 22kW (30HP); Foot Mounted; IP54; 400/440V; 39/36.5A; 50Hz; 2985 RPM; very good condition – never been used.</p>	<p>Photographs: MSL 144</p> <p>Ref: MSL 144</p>
<p><u>4/ STONE McCOLE 3 PHASE 20HP ELECTRICAL MOTOR</u> Qty 1x Good condition (MSL 145)</p>	<p>Stone McCole Electrical Motor; 3 Phase, 15kW (20HP); Foot Mounted; 400/440V; 50Hz; 15kW /20 HP; IP54; 120kg; 40mm Shaft; with Pulley (3xV Belt), 130mm Dia ;good condition – never been used.</p>	<p>Photographs: MSL 145</p> <p>Ref: MSL 145</p>
<p><u>5/ LOWARA SUBMERSIBLE PUMP FOR 4" BORES</u> Qty 1x New condition (MSL 164)</p>	<p>LOWARA BORE PUMP: made in Italy, Type N4/A38; 240V, 11A, 1kW; IP58; H max 182m; Qmax 2.4m³/hr; 2800rpm; Approx. dimensions: a) Pump length 1.55m b) Pump diameter 100mm</p> <p>Stainless steel; New condition; Used only once for 4" Bore Testing. Full specification available on request.</p>	<p>Photographs: MSL 164.1 & MSL 164.2</p> <p>Ref: MSL 164</p>
<p><u>6/ KELLY & LEWIS MULTISTAGE TURBINE BORE PUMP</u> Qty 1x</p>	<p>Kelly Lewis 10 Stage Vertical Turbine Line Shaft Bore Pump; Model 140MC; New Condition (NC) – Approx. Duty 12 l/ sec @ 180m Head; Driven by driver on surface (not part of sale); Turbine</p>	<p>Text: 9021 & 9022</p> <p>Photographs:</p>

NAME	SPECIFICATION/CONFIGURATION	MISAL REFERENCE
<p>New condition (MSL 179)</p>	<p>Pump Body Diameter 132mm, Overall Length 1960mm, Shaft 25mm DIA, Strainer Length 370mm.</p> <p>Full specification available on request. Used only once for Bore Testing. Very heavy unit. Near new condition.</p> <p>Note: for operation, the Turbine Pump is normally connected by lengths of columns & shafts. These columns & shafts are not part of the sale.</p>	<p>MSL 179.1 MSL 179.2 & MSL 179.3</p> <p>Ref: MSL 179</p>
<p><u>7/KELLY & LEWIS CENTRIFUGAL PUMP MODEL 70</u> Qty 1x (MSL 375)</p>	<p>KELLY LEWIS Centrifugal Pump Model 70. Size 1 ¼" – 12". Good condition, with the exception being a broken discharge outlet (broken during relocation) which could easily be repaired by welding on a flanged pipe. Was working satisfactorily before. Duties: 30 m3/hr @ 80m head (2,900 rpm); or 18 m3/hr @ 25m head (1,450 rpm).</p>	<p>Text: 9021 & 9022</p> <p>Photographs: MSL 375.1 MSL 375.2 & MSL 375.3</p> <p>Ref: MSL 375</p>
<p><u>8/ KELLY & LEWIS CENTRIFUGAL PUMP MODEL AK 1917</u> Qty 1x</p>	<p>KELLY LEWIS Centrifugal Pump Model AK 1917 – NEW PUMP. Size 125x100 – 250. Duties: 80 l/sec @ 100m head (2,960 rpm); or 37l/ sec @ 23m head (1455 rpm). Other performance characteristics possible – refer to the pump performance characteristics. Full specification and performance curves available on request.</p>	<p>Photographs: MSL 545.1 MSL 545.2 & MSL 545.3</p> <p>Ref: MSL 545</p>
<p><u>9/ AJAX CENTRIFUGAL PUMP. MODEL AX 00L</u> Qty 1x</p>	<p>AJAX Centrifugal Pump Model AX 00L. Size 100x200 – 202. New unit. Duties: 35l/ sec @ 15m head (1450 rpm). Full specification and performance curves available on request. Good condition.</p>	<p>Photographs: MSL 546</p> <p>Ref: MSL 546</p>
<p><u>10/ KELLY & LEWIS CENTRIFUGAL PUMP. MODEL 50</u> Qty 1x</p>	<p>KELLY LEWIS Centrifugal Pump Model 50 Single Stage, End Suction. Size: 1 1/4" x 1 1/2". SERIES 4. Approximate duties: 50 gallons/min @ 70ft head (2960 rpm) or 25 gallons/min @ 16ft head (1455 rpm). Other performance characteristics possible – refer to the pump performance characteristics. Full specification and performance curves available on request. Suitable for driving by a small 5HP petrol engine, 19mm shaft with key way and key.</p>	<p>Photographs: MSL 624</p> <p>Ref: MSL 624</p>

NOTE: To ensure quick sales, MISAL is offering very attractive, low prices on the above listed items. A large proportion of our listed prices are approx. half of the current market value.

Full specifications, performance duties curves and photographs for each of the above listed items are available on request.

For further details, please contact:

The Managing Director

Misal Technologies Pty. Ltd.

P.O.Box 510

Ringwood VIC 3134

Australia

Email: misaltech@bigpond.com